

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/658,312	09/09/2003	I.V. Ramakrishnan	8009-23	2158	
22150	7590 08/22/2006	EXAMINER		INER	
F. CHAU & ASSOCIATES, LLC 130 WOODBURY ROAD			MYINT, DENNIS Y		
WOODBURY, NY 11797			ART UNIT	PAPER NUMBER	
			2162		
			DATE MAILED: 08/22/200	DATE MAILED: 08/22/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

<u> </u>	Application No.	Applicant(s)
	10/658,312	RAMAKRISHNAN ET AL.
Office Action Summary	Examiner	Art Unit
	Dennis Myint	2162
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from . cause the application to become ABANDONE	N. nely filed the mailing date of this communication. (D. (35 U.S.C. § 133).
Status		
<ol> <li>Responsive to communication(s) filed on 13 July</li> <li>This action is FINAL.</li> <li>Since this application is in condition for allower closed in accordance with the practice under Exercise.</li> </ol>	action is non-final. nce except for formal matters, pro	
Disposition of Claims	panto Qualyno, 1000 0100 1100 1100	
4)  Claim(s) 1-16 and 19-22 is/are pending in the a 4a) Of the above claim(s) is/are withdray 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-16 and 19-22 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/o  Application Papers  9)  The specification is objected to by the Examine 10)  The drawing(s) filed on 09 September 2003 is/a	wn from consideration.  r election requirement.	cted to by the Examiner.
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority document</li> <li>2. Certified copies of the priority document</li> <li>3. Copies of the certified copies of the priority application from the International Bureau</li> <li>* See the attached detailed Office action for a list</li> </ul>	s have been received. s have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summan Paper No(s)/Mail D	Date
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	5) Motice of Informal (6) Other:	Patent Application (PTO-152)

Art Unit: 2162

#### **DETAILED ACTION**

This communication is responsive to Applicant's Amendment, filed on 13 June
 2006.

2. Claims 1-16 and 19-22 are pending in this application. Claims 1, 19 and 20 are independent claims. In the Amendment filed on 13 June 2006, claims 17-18 were cancelled. No amendments were made. This office action is made final.

#### Response to Arguments

3. Applicant's arguments filed on 13 June 2006 have been fully considered but they are not persuasive.

Referring to claim 1, 19, and 20, Applicant argued DaCosta dos not teach or suggest that identifying a first set of attribute occurrences in the template generated semi-structured document using an ontology and applying the pattern within the boundary of semi each multi-attribute data record in the template generated semi-structured document to extract a second set of attribute occurrences as claimed in claims 1 and 19 nor an ontology for identifying a first set of attribute occurrences and pattern module for learning a pattern for an attribute corresponding to an identified attribute occurrence of the first set in the template generated semi-structured document as claimed in claim 20 (Applicant's argument Page 10).

Art Unit: 2162

In response to this argument, it is pointed out that DaCosta in view of Gardner teaches DaCosta in view of Gardner teaches the claimed limitations of claims 1, 19, and 20. DaCosta in view of Gardner teaches identifying a first set of attribute occurrences in the template generated semi-structured document using ontology. DaCosta teaches identifying a first set of attribute occurrences in the template generated semi structured document as Considered in more detail, a snippet of relevant information on a web page or other web-accessible document contains structural, contents and formatting attributes. A salient feature of one preferred embodiment of the system in accordance with the present invention (referred to as WebLock) triangulates on these three attributes (structural, contents, and formatting) to find and lock on the target data (DaCosta, Column 6 Line 1-14). The method of DaCosta extracts these attributes (Column 6 Line 14-32, extraction instructions) employing artificial intelligence to perform pattern matching (DaCosta, Column 5 Line 55-67, Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified). Gardner teaches using as in using an ontological approach (Gardner Paragraph 0048). Gardner teaches an ontology-based information management system and method wherein ontology is used to identify a set of attributes (Gardner Paragraph 0048, Paragraph 0049, and Paragraph 0051, i.e., using an ontological approach) and a boundary of each multiattribute data record in the template generated semi-structured document (Gardner Paragraph 0107, and Paragraph 0017-0019, i.e., pair wise distances between ontology terms measured using different distance measure). As such, the combination of

Art Unit: 2162

DaCosta and Gardner teaches identifying a first set of attribute occurrences in the template generated semi-structured document using an ontology.

Additionally, DaCosta teaches the limitation applying the pattern within the boundary of semi each multi-attribute data record in the template generated semi-structured document to extract a second set of attribute occurrences as in Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified (DaCosta., Column 5 Line 55-67), triangulates on these attributes (structure, content and formatting) to find and lock on the target data (Column 6 Line 1-14), and extraction instructions (DaCosta, Column 6 Line 14-32). As per claim 20, DaCosta in view of Gardner teaches the limitations

"an ontology for identifying a first set of attribute occurrences in the template generated semi-structured document, the ontology comprising a set of concepts and a set of attributes associated with every concept" (Gardner Paragraph 0005, i.e., *An ontology term may be a single named concept describing an object or entity*, Paragraph 0051, i.e., *An ontology may be used to enable effective syntactic and semantic mapping between any number of different entities..*);

"a boundary module for determining a boundary of each multi-attribute data record in the template generated semi-structured document" (Gardner Paragraph 0107, i.e., pair wise distances between ontology terms measured using different distance measure and Paragraph 0017-0019. Particularly note that measuring pair wise distances between ontology terms creates a bound of each record.); and

Art Unit: 2162

"a pattern module for learning a pattern for an attribute corresponding to an identified attribute occurrence of the first set in the template generated semi-structured document" (DaCosta et al., Column 5 Line 55-67, i.e. *Artificial Intelligence (AI)* techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified, Column 6 Line 1-14, i.e., ...triangulates on these attributes (structure, content and formatting) to find and lock on the target data, and Column 6 Line 14-32, i.e., extraction instructions).

Therefore, DaCosta in view of Gardner teaches the limitations of claims 1, 19, and 20.

Applicant argues that Nowhere does DaCosta teach or suggest patent matching to extract attributes based on attribute occurrences identified using an ontology (Applicant's argument, Page 12). Again, it is pointed that DaCosta in view of Gardner teaches or suggest patent matching to extract attributes based on attribute occurrences identified using an ontology as Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified (DaCosta., Column 5 Line 55-67), triangulates on these attributes (structure, content and formatting) to find and lock on the target data (DaCosta, Column 6 Line 1-14), extraction instructions (DaCosta, Column 6 Line 14-32), An ontology term may be a single named concept describing an object or entity (Gardner Paragraph 0005), An ontology may be used to enable effective syntactic and semantic mapping between any number of different entities (Gardner, Paragraph 0051).

Art Unit: 2162

Applicant argued that nor an ontology for identifying a first set of attribute occurrences (Applicant's argument, Page 12). In response, it is pointed out that DaCosta in view of Gardner teaches said limitation as An ontology term may be a single named concept describing an object or entity (Gardner Paragraph 0005); An ontology may be used to enable effective syntactic and semantic mapping between any number of different entities (Gardner, Paragraph 0051); and a snippet of relevant information on a web page or other web-accessible document contains structural, contents and formatting attributes. A salient feature of one preferred embodiment of the system in accordance with the present invention (referred to as WebLock) triangulates on these three attributes (structural, contents, and formatting) to find and lock on the target data (DaCosta, Column 6 Line 1-14). Other limitation of claim 20 as taught by DaCosta in view of Gardner can be found in the part of this office action on claim 20.

Therefore, DaCosta in view of Gardner teaches the limitations of claims 1, 19, and 20.

Applicant additionally argues that combined teachings of DaCosta and Gardner fail to teach or suggest applying two extraction techniques to a template generated semi-structured document for extracting a first and second set of attribute occurrences (Applicant's argument, Page 13). Please note the following teachings of DaCosta.

DaCosta discloses that Considered in more detail, a snippet of relevant information on a web page or other web-accessible document contains structural, contents and formatting attributes. A salient feature of one preferred embodiment of the system in accordance with the present invention (referred to as WebLock) triangulates on these

Art Unit: 2162

three attributes (structural, contents, and formatting) to find and lock on the target data (DaCosta, Column 6 Line 1-14). Additionally, the method of DaCosta extracts these attributes (Column 6 Line 14-32, extraction instructions) employing artificial intelligence to perform pattern matching (DaCosta, Column 5 Line 55-67, Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified). Gardner teaches using as in using an ontological approach (Gardner Paragraph 0048). As such, the method of DaCosta extracts attributes in the fist place (i.e., first set of attributes), and then applies AI techniques for pattern matching to semi-structured web documents to extract second set of attributes.

Applicant argues that DaCosta does not teach or suggest generalizing the pattern of the attribute occurrence prior to applying the pattern as claimed in claim 7 (Applicant's argument Page 14). It is pointed out that the disclosure of Gardner teaches generalizing both patterns and ontologies. Gardner teaches that In operation 612, a distance matrix computed for a given set of ontology terms may be measured against a specific document set. In operation 616, the system may validate the terms in a given ontology against specific document sets to establish a maximal set of ontology terms that may be discriminated with the available evidence sets. In operation 620, the system may combine multiple available ontologies into a single validated aggregated ontology (Gardner Paragraph 0105). This disclosure teaches not only ontologies but also pattern of term/attribute occurrences.

Art Unit: 2162

### Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claim 1-10 and 14-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over DaCosta et al. (hereinafter "DaCosta") (U.S. Patent Number 6826553) in view of Gardner (U.S. Patent Application Publication Number 2003/0177112).

Referring to claim 1, DaCosta et al. teaches is directed to a method for extracting an attribute occurrence (DaCosta et al., Figure 1, Figure 3, and Column 5 Line 37-54) from template generated semi-structured document (DaCosta et al., Column 11 Line 33-

Art Unit: 2162

50, Column 6 Line 14-31, i.e. stock quotes or weather data and Column 12 Line 5-14) comprising multi-attribute data records (DaCosta et al., Column 7 Line 55 through Column 8 Line 18, i.e. Referring first to form variations, XML encoding of a form provides key-value pairs of form parameters.) and teaches the limitations:

"identifying a first set of attribute occurrences in the template generated semistructured document " (DaCosta et al., Column 5 Line 55-67, i.e., Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified; Column 6 Line 1-14, i.e., ..triangulates on these attributes (structure, content and formatting) to find and lock on the target data, and Column 6 Line 14-32, i.e., extraction instructions);

"learning a pattern for an attribute corresponding to an identified attribute occurrence of the first set in the template generated semi-structured document" (DaCosta et al. Column 6 Line 14-32, capable of performing some degree of learning); and

"applying the pattern in the template generated semi-structured document to extract a second set of attribute occurrences" (DaCosta et al. Column 6 Line 14-32, i.e., the extraction module 20 infers extraction rules and applies them to the remainder of the data in the web page or other web-based accessible document).

DaCosta does not explicitly teach the limitations: "the boundary of teach multiattribute data record" and "using an ontology".

Gardner teaches the limitation:

Art Unit: 2162

"the boundary of teach multi-attribute data record" (Gardner Paragraph 0107, i.e. pair wise distances between ontology terms measured using different distance measure and Paragraph 0017-0019) and

and "using an ontology" (Gardner Paragraph 0048, i.e. using an ontological approach). Gardner teaches an ontology-based information management system and method wherein ontology is used to identify a set of attributes (Gardner Paragraph 0048, i.e. using an ontological approach) and a boundary of each multi-attribute data record in the template generated semi-structured document (Gardner Paragraph 0107, i.e. pair wise distances between ontology terms measured using different distance measure and Paragraph 0017-0019).

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine the ontology-based information management system and method of Gardner with the method and system for providing database functions for multiple Internet sources as taught by DaCosta et al. so that the combined method and system would identify a set of attribute occurrences in template-generated documents, determine a boundary of each multi-attribute data record in the said documents and employ the pattern of attributes within the said boundary of each multi-attribute data record in the template generated semi-structured document to extract a second set of attribute occurrences. One would have been motivated to do so in order to provide a particularly well-developed set of semantic relationships built into the ontology (Gardner Paragraph 0008).

Art Unit: 2162

Referring to claim 2, Gardner teaches the limitation:

"the step of providing a seed ontology prior to identifying the first set of attribute occurrences (search results of the ontology search Gardner in Paragraph 0089-0096 and ontology-based search in Paragraph 0114).

Referring to claim 3, Gardner teaches the limitation:

"the ontology is one of a seed ontology" (Paragraph 0091, i.e., one or more search strings of the ontological search) "and an enriched ontology" (Paragraph 0092-0093, i.e., the search results of the ontological search and Paragraph 0100).\

Referring to claim 4, Gardner teaches the limitation:

"enriching the ontology with the second set of attributes occurrences" (Paragraph 0105, i.e., *The system may, in operation 624, augment an existing ontology with newly discovered terms to maximize the discriminable term coverage.*).

Referring to claim 5, DaCosta teaches the limiations:

"wherein the pattern is a path abstraction expression, wherein the path abstraction expression is a regular expression that does not comprise a union operator, and a closure operator only applies to single symbols" (Column 7 Line 29-54, i.e., the recorded path", and Column 9 Line 45-52,).

Referring to claim 6, DaCosta teaches the limitations:

Art Unit: 2162

"wherein learning the pattern for each attribute occurrence comprises: identifying the attribute occurrence in a data structure tree" (Column 12 Line 5-14, i.e., the system infers that the user wishes to further extract information 1160 using this parental hierarchy information); and "determining the pattern of the attribute occurrence in the data structure tree" (Column 12 Line 5-61, i.e., parental hierarchy information 1130-1140-1150 and Using AI techniques, the system of the present invention evaluates parental information 1130-1140-1150 and 1170-1180-1190 to determine a most likely pattern that the highlighted element 1150 and element 1160 cab be classified as satisfying and then finds the next element which matches that pattern, if any).

Referring to claim 7, Gardner teaches the limitation:

"further comprising the step of generalizing the pattern of the attribute occurrence prior to applying the pattern" (Paragraph 0105-0106, i.e., the system may combine multiple available ontologies into a single validated aggregate ontology).

Referring to claim 8, DaCosta teaches the limitation:

"wherein the pattern comprises elements including a location and a format of the attribute occurrence" (Column 6 Line 1-13, a snippet of relevant information on a web page or other web-accessible document contains structural, contents and formatting attributes).

Referring to claim 9, DaCosta teaches the limitation:

Art Unit: 2162

"wherein the elements are nodes in the data structure tree" (Column 12 Line 5-42, i.e., the lineage or ancestry tree matches" and Using AI techniques, the system of the present invention evaluates parental information 1130-1140-1150 and 1170-1180-1190 to determine a most likely pattern that the highlighted element 1150 and element 1160 cab be classified as satisfying and then finds the next element which matches that pattern, if any).

Referring to claim 10, DaCosta teaches the limitations:

"further comprising resolving the ambiguities in the extracted attribute occurrences" (DaCosta et al., Column 9 Line 45-52, i.e., extraction module and Figure 15) comprising":

"identifying attribute occurrences in the template generated semi-structured document matching more than one pattern" (Column 5 Line 63-67, i.e., *Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to ensure that the relevant information will still be retrieved.* Note that it is inherent that pattern occurrences are identified in any AI pattern matching);

"determining a pattern that uniquely matches a given attribute occurrence and no other pattern uniquely matches the given attribute occurrence" (Column 5 Line 63-67, i.e., Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to ensure that the relevant information will still be retrieved. Note that it is inherent in any AI pattern matching that a pattern that uniquely matches a given occurrence is determined); and

Art Unit: 2162

"eliminating matches between the given attribute occurrence and another pattern that matches the given attribute occurrence and at least one other attribute occurrence" (Column 5 Line 63-67, i.e., Artificial Intelligence (AI) techniques can be utilized to enable pattern matching to ensure that the relevant information will still be retrieve").

Note that it is inherent in any AI pattern occurrences that are not unique are eliminated.

Referring to claim 14, DaCosta in view of Gardner teaches the limitations:

"providing a tree of a page" (DaCosta et al., Column 5 Line 23-29, i.e., the Document Object Model (DOM) of an document and Column 12 Line 5-14, i.e., the system infers that the user wishes to further extract information 1160 using this parental hierarchy information) "and a set of attribute names of a concept of the ontology" (DaCosta, Figure 1, Figure 3, and Column 5 Line 37-54 and Gardner Paragraph 0048, i.e. using an ontological approach, Paragraph 0049, and Paragraph 0051);

"marking a node in the tree by a set of attributes present in a subtree rooted at the node" (DaCosta, Column 12 Line 5-42, i.e. the lineage or ancestry tree matches and Using AI techniques, the system of the present invention evaluates parental information 1130-1140-1150 and 1170-1180-1190 to determine a most likely pattern that the highlighted element 1150 and element 1160 cab be classified as satisfying and then finds the next element which matches that pattern, if any);

"determining a set of maximally marked nodes in the tree" (Gardner Paragraph 0107, i.e., pair wise distances between ontology terms measured using different

Art Unit: 2162

distance measure, Paragraph 0105, i.e. establish a maximum set of ontological terms, and Paragraph 0017-0019);

"determining a page type" (Gardner Paragraph 0093-0094 and 0089, i.e., A user's background/profile is determined to determine the kind of page to be searched.); and

"extracting a boundary according to the page type" (Gardner Paragraph 0104).

Referring to claim 15, Gardner teaches the limitation:

"wherein the page type is one of a home page and a referral page" (Gardner Paragraph 0089). Note that the method of Gardner could identify a home page depending on the background/profile of the user and, inherently could refer to other pages.

Referring to claim 16, DaCosta et al. in view of Gardner teaches the limitations: "determining a maximally marked node with a highest score among the set of maximally marked nodes in the tree" (Gardner, Paragraph 0105, i.e. establish a maximum set of ontological terms);

"determining whether the tree comprises a single-valued attribute" (DaCosta et al., Column 5 Line 23-29, i.e., the Document Object Model (DOM) of an document; Gardner Paragraph 0005, i.e., An ontology term may be a single named concept describing an object or entity; Gardner, Paragraph 0051, i.e., An ontology may be used to enable effective syntactic and semantic mapping between any number of different

Art Unit: 2162

entities....; DaCosta Figure 9 wherein single-value/multi-value attributes are presented in the record table; and DaCosta et al. Column 11 Line 61 through Column 12 Line 5);

"determining values of the single-marked attribute upon determining the single-valued attribute" (DaCosta Figure 9 wherein single-value/multi-value attributes are presented in the record table and DaCosta, Column 11 Line 61 through Column 12 Line 5);

"determining whether the tree comprises a multiple-valued attribute" (DaCosta et al., Column 5 Line 23-29, i.e. the Document Object Model (DOM) of an document,

DaCosta Figure 9 wherein single-value/multi-value attributes are presented in the record table, and DaCosta et al. Column 11 Line 61 through Column 12 Line 5); and

"determining values of the multiple-marked attribute upon determining the multiple-valued attribute" (DaCosta Figure 9 wherein single-value/multi-value attributes are presented in the record table, and DaCosta et al. Column 11 Line 61 through Column 12 Line 5).

Claim 19 is rejected on the same basis as claim 1.

Referring to claim 20, DaCosta et al. in view of Gardner teaches the limitations:

"an ontology for identifying a first set of attribute occurrences in the template
generated semi-structured document, the ontology comprising a set of concepts and a

Art Unit: 2162

set of attributes associated with every concept" (Gardner Paragraph 0005, i.e., *An ontology term may be a single named concept describing an object or entity*, Paragraph 0051, i.e., *An ontology may be used to enable effective syntactic and semantic mapping between any number of different entities..*);

"a boundary module for determining a boundary of each multi-attribute data record in the template generated semi-structured document" (Gardner Paragraph 0107, i.e., pair wise distances between ontology terms measured using different distance measure and Paragraph 0017-0019. Particularly note that measuring pair wise distances between ontology terms creates a bound of each record.); and

"a pattern module for learning a pattern for an attribute corresponding to an identified attribute occurrence of the first set in the template generated semi-structured document" (DaCosta et al., Column 5 Line 55-67, i.e. *Artificial Intelligence (AI)* techniques can be utilized to enable pattern matching to sure that the relevant information will still be retrieved even if the page is modified, Column 6 Line 1-14, i.e., ... triangulates on these attributes (structure, content and formatting) to find and lock on the target data, and Column 6 Line 14-32, i.e., extraction instructions).

Referring to claim 21, DaCosta et al. in view of Gardner teaches the limitations: "wherein the pattern is applied within the boundary of each multi-attribute data record in the template generated semi-structured document to extract a second set of attribute occurrences" (DaCosta et al. Column 6 Line 14-32, i.e., the extraction module 20 infers extraction rules and applies them to the remainder of the data in the web page

Art Unit: 2162

or other web-based accessible document and Gardner Paragraph 0107, i.e. pair wise distances between ontology terms measured using different distance measure and Paragraph 0017-0019).

Referring to claim 22, DaCosta teaches the limitation:

"wherein the database of multi-attribute data records is stored on a server connected to the adaptive search engine application across a communications network" (Figure 22: Smart Server and Web Folders and Column 18 Line 8-25).

6. Claim 11 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over DaCosta in view of Gardner and further in view of Oommen (U.S. Patent Application Publication Number 2003/0195890).

Referring to claim 11, DaCosta et al. in view of Gardner explicitly disclose the limitation: "learning positive examples of the attribute and learning negative examples of the attribute".

Oommen teaches the limitation:

"learning positive examples of the attribute and learning negative examples of the attribute" (Paragraph 00198, Paragraph 0078-0085, and Paragraph 0116-0117, i.e., If the test in block 800 returns a negative answer and if the test in block 800 returns a positive answer). Oommen teaches a method and system for comparing the closeness of a target tree to other trees wherein learning pattern comprises learning positive

Art Unit: 2162

examples and negative examples (Oommen, Paragraph 00198, Paragraph 0078-0085, and Paragraph 0116-0117).

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine the feature of comparing closeness of trees as taught by Oommen to the method and system of DaCosta et al. in view of Gardner as applied to claim 1 above so that, in the combined method and system, the learning pattern would comprise learning positive examples of the attribute and learning negative examples of the attribute. One would have been motivated to do so in order to provide solution for "all string, substring and subsequence recognition algorithms" as well as " a solution to all tree, subtree and subsequence tree recognition problems (Oommen, Paragraph 0061).

Referring to claim 13, DaCosta et al. in view of Gardner and further in view of Oommen as applied above with regard to claim 11 discloses the invention as claimed. DaCosta et al. in view of Gardner and further in view of Oommen is directed to the method for claim 1, wherein learning the pattern for an attribute corresponding to an identified attribute occurrence of the first set in the template generated semi-structured document comprises learning negative examples of the attribute, wherein the negative examples are positive examples of other attributes (Oommen, Paragraph 00198). In the method of Oommen, it is inherent that if a positive answer is returned for an occurrence, a negative answer will be returned for a different occurrence.

Art Unit: 2162

7. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over DaCosta et al. in view of Gardner and further in view of Oommen and further in view of Bruno ("Efficient Creation of Statistics over Query Expressions" by Nicolas Bruno and Surajit Chaudhuri, ICDE 2003: Bangalore, India, March 5-8 2003,

Referring to claim 12, DaCosta et al. in view of Gardner and further in view Oommen teaches the limitation:

http://www.cs.brown.edu/courses/cs227/Papers/AutoAdmin/buildsits.pdf)

"determining common supersequence for identified attribute occurrences corresponding to the attribute, wherein identified attribute occurrences are positive example of the attribute" (Oommen, Paragraph 0316, i.e., *The method of the invention can search for the pattern where the pattern sought is distributed over a larger supersequence as ...* and Paragraph 00198, Paragraph 0078-0085, and Paragraph 0116-0117, i.e., *If the test in block 800 returns a negative answer* and *if the test in block 800 returns a positive answer*).

DaCosta et al. in view of Gardner and further in view Oommen not explicitly disclose the limitation: "determining a generalized supersequence by generalizing each term in the common supersequence; and determining, for each term of the generalized supersequence, where a term can be de-generalized".

On the other hand, Bruno teaches the limitation:

"determining a generalized supersequence by generalizing each term in the common supersequence; and determining, for each term of the generalized

Art Unit: 2162

supersequence, where a term can be de-generalized" (Bruno, Page 8 Column 1 Line 6 through Column 2 Line 39).

Bruno teaches a method for generalizing shortest common supersequence wherein terms in common supersequence are generalized. (Bruno, Page 8 Column 1 Line 6 through Column 2 Line 39). Additionally, it is inherent whether a term in a common supersequence can be degeneralized can be determined employing this method.

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to add the feature of generalizing terms in common supersequence as taught by Bruno to the method and system of DaCosta et al. in view of Gardner and further in view of Oommen as applied to claim 11 so that the resultant method and system would comprise determining a common sequence for identified attribute occurrences, determine a generalized supersequence, and determine whether a term in the generalized supersequence can be degeneralized. One would have been motivated to do so in order to "adder the optimization problem" (Bruno, Page 6, Column 2 Line 10-13).

Art Unit: 2162

## Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2162

### **Contact Information**

Any inquiry concerning this communication or earlier communications from the 9. examiner should be directed to Dennis Myint whose telephone number is (571) 272-5629. The examiner can normally be reached on 8:30AM-5:30PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene can be reached on (571) 272-4107. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dennis Myint

AU-2162

Canny Examiner
Cam y Trung